



UNITED STATE EPARTMENT OF COMMERCE United States Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

1644

Washington, D.C. 20231

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO.

09/806,400 03/30/01 SHOENFELD Y 01/21885

HM22/0718 EXAMINER

VANDER VEGT, F

ANTHONY CASTORINA ART UNIT PAPER NUMBER

G E EHRLICH ANTHONY CASTORINA SUITE 207 2001 JEFFERSON DAVIS HIGHWAY ARLINGTON VA 22202

DATE MAILED: 07/18/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No. 09/806,400 Applicant(s)

Shoenfeld et al

Examiner

F. Pierre VanderVegt

Art Unit



1644 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). 1) Responsive to communication(s) filed on 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213. Disposition of Claims 4) X Claim(s) 1-26 is/are pending in the application. 4a) Of the above, claim(s) ______ is/are withdrawn from consideratio 5) Claim(s) ______ is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. are subject to restriction and/or election requirement 8) X Claims 1-26 **Application Papers** 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on ______ is/are objected to by the Examiner. 11)☐ The proposed drawing correction filed on is: a☐ approved b disapproved. 12) The oath or declaration is objected to by the Examiner. Priority under 35 U.S.C. § 119 13) Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d). a) \square All b) \square Some* c) \square None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. X Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). *See the attached detailed Office action for a list of the certified copies not received. 14) Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e). Attachment(s) 15) Notice of References Cited (PTO-892) 18) Interview Summary (PTO-413) Paper No(s). 16) Notice of Draftsperson's Patent Drawing Review (PTO-948) 19) Notice of Informal Patent Application (PTO-152) 17) Information Disclosure Statement(s) (PTO-1449) Paper No(s). 20) Other:



Art Unit: 1644

DETAILED ACTION

This application is a rule 371 continuation of PCT application PCT/IL99/00519.

Applicant should amend the specification at page 1 to reflect the priority information.

Claims 1-26 are currently pending in this application.

5

Specification

1. This application does not contain an abstract of the disclosure as required by 37 CFR 1.72(b). An abstract on a separate sheet is required.

10

Please Note: In an effort to enhance communication with our customers and reduce processing time, Group 1640 is running a Fax Response Pilot for Written Restriction Requirements. A dedicated Fax machine is in place to receive your responses. The Fax number is 703-305-3704. A Fax cover sheet is attached to this Office Action for your convenience. We encourage your participation in this Pilot program. If you have any questions or suggestions please contact Paula Hutzell, Supervisory Patent Examiner at 703-308-4310 or Paula.Hutzell@uspto.gov. Thank you in advance for allowing us to enhance our customer service. Please limit the use of this dedicated Fax number to responses to Written Restrictions.

20

15

Election/Restrictions

2. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, Applicant is required, in response to this action, to elect a single invention to which the claims must be restricted.

30

25

Group I, claim(s) 1-7, 12-20 and 25-26, drawn to a composition comprising modified or oxidized low density lipoprotein for the treatment of atherosclerosis, heart attack, angioplasty-restenosis or stroke and the method of treatment.

Application/Control Number: 09/806,400

Art Unit: 1644

+

5

10

20

25

30

Group II, claim(s)1-4, 8-9, 14-17 and 21-22, drawn to a composition comprising heat shock protein 60/65 for the treatment of atherosclerosis, heart attack, angioplasty-restenosis or stroke and the method of treatment.

- Group III, claim(s) 1-4, 10-11, 14-17 and 23-24, drawn to a composition comprising beta2-glycoprotein-1 for the treatment of atherosclerosis, heart attack, angioplasty-restenosis or stroke and the method of treatment.
- 3. The inventions listed as Groups I-III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: the proteins are of different types, lipoprotein, chaperonin and glycoprotein, respectively, which have different structural properties and are not obvious over one another.
- 4. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

- a) atherosclerosis,
- b) heart attack,
- c) angioplasty-restenosis, and
- d) stroke.

Irrespective of which Group is elected, Applicant is further required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, Applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, Applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Application/Control Number: 09/806,400 Page 4

Art Unit: 1644

5

10

15

20

25

30

5. The claims are deemed to correspond to the species listed above in the following manner:

Base claims 1-4 and 14-17 each recite all four species and none of the dependent claims exclude any of the species. Therefore, claims 1-26 will all be examined

The following claim(s) are generic: none.

based upon the elected species.

- 6. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The conditions represent different species of cardiovascular disease because each condition is characterized by different etiology and can have causative events which are unrelated.
- 7. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).
- 8. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a petition under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Conclusion

9. Papers related to this application may be submitted to Technology Center 1600, Group 1640 by facsimile transmission. Papers should be faxed to Group 1640 via the PTO Fax Center located in Crystal Mall 1. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The fax phone number for official documents to be entered into the record for Art Unit 1644 is (703)305-3014.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to F. Pierre VanderVegt, whose telephone number is (703)305-6997. The Examiner can normally be reached Tuesday through Friday and odd-numbered Mondays (on year

Application/Control Number: 09/806,400

Art Unit: 1644

5

10

2001 365-day calender) from 6:30 am to 4:00 pm ET. A message may be left on the Examiner's voice mail service. If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Ms. Christina Chan can be reached at (703)308-3973. Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 1600 receptionist, whose telephone number is (703)308-0196.

F. Pierre VanderVegt, Ph.D. Patent Examiner Technology Center 1600 July 17, 2001

F. PIERRE VANDERVEGT PATENT EXAMINER